



# WHITMAN-WALKER CLINIC

## CURRENT HIV/AIDS STATISTICS

### How Many Individuals Are Living with AIDS in Suburban Maryland? (Montgomery, Prince George, Calvert, Charles & Frederick Counties)

(as of Sept. 30, 2007)

	#	%
<b>GENDER</b>		
Adult Male	2,690	65
Adult Female	1,434	35
<b>Total</b>	<b>4,124</b>	<b>100</b>
<b>RACE/ETHNICITY</b>		
White	585	14
African-American	3,236	78
Latino	270	7
Other/Unknown	33	1
<b>Total</b>	<b>4,124</b>	<b>100</b>
<b>AGE GROUP</b>		
<13	16	<1
13-19	36	1
20-29	248	6
30-39	964	23
40-49	1,664	40
50+	1,196	29
<b>Total</b>	<b>4,124</b>	<b>100</b>
<b>MODE OF EXPOSURE</b>		
MSM	1,156	28
IDU	566	14
IDU and MSM	94	2
Heterosexual Contact	1,433	35
Other	89	2
No Identified Risk*	786	19
<b>Total</b>	<b>4,124</b>	<b>100</b>

## How Many People Have Reportedly Died of AIDS in Suburban Maryland?

(as of Sept. 30, 2007)

	#	%
<b>REPORTED DEATHS</b>	<b>3,823</b>	<b>100</b>

## How Many Individuals Have EVER Been Diagnosed with Full AIDS in Suburban Maryland?

(as of Sept. 30, 2007)

	#	%
<b>GENDER</b>		
Adult Male	5,951	72
Adult Female	2,294	28
<b>Total</b>	<b>8,245</b>	<b>100</b>
<b>RACE/ETHNICITY</b>		
White	1,737	21
African-American	6,024	73
Latino	420	5
Other/Unknown	64	1
<b>Total</b>	<b>8,245</b>	<b>100</b>
<b>AGE GROUP</b>		
<13	86	1
13-19	66	1
20-29	1,485	18
30-39	3,402	41
40-49	2,168	26
50-59	742	9
60+	296	4
<b>Total</b>	<b>8,245</b>	<b>100</b>
<b>MODE OF EXPOSURE</b>		
MSM	3,017	37
IDU	1,319	16
MSM & IDU	248	3
Heterosexual Contact	2,071	25
Other	293	4
No Identified Risk*	1,297	15
<b>Total</b>	<b>8,245</b>	<b>100</b>

## What is the Trend in Living AIDS Cases in Suburban Maryland?

(as of Sept. 30, 2007)

Characteristics	YEAR REPORTED											
	2001		2002		2003		2004		2005		2006	
	#	%	#	%	#	%	#	%	#	%	#	%
<b>GENDER</b>												
Male	243	63	220	61	243	61	236	59	239	59	260	62
Female	132	37	143	39	158	39	162	41	164	41	160	38
<b>Total</b>	<b>386</b>	<b>100</b>	<b>363</b>	<b>100</b>	<b>401</b>	<b>100</b>	<b>398</b>	<b>100</b>	<b>403</b>	<b>100</b>	<b>420</b>	<b>100</b>
<b>RACE/ETHNICITY</b>												
White	41	11	43	12	40	10	36	9	27	7	30	7
African-American	325	84	297	82	334	83	336	84	350	87	345	82
Latino	18	5	17	5	22	5.5	22	6	20	5	38	9
Unknown/Other	2	0.5	6	1	5	1	4	1	6	1	7	2
<b>Total</b>	<b>386</b>	<b>100</b>	<b>363</b>	<b>100</b>	<b>401</b>	<b>100</b>	<b>398</b>	<b>100</b>	<b>403</b>	<b>100</b>	<b>420</b>	<b>100</b>
<b>AGE GROUP</b>												
< 5	2	0	1	<1	0	0	0	0	0	0	0	0
5-12	0	0	0	0	0	0	2	<1	1	<1	0	0
13-19	2	1	2	<1	2	<1	3	1	3	1	6	1
20-29	55	14	62	17	51	13	56	14	65	16	66	16
30-39	158	41	138	38	170	42	144	36	143	35	137	33
40-49	117	30	117	32	116	29	122	31	125	31	142	34
50-59	41	11	30	8	46	11.5	57	14	49	12	52	12
60+	12	3	13	4	16	4	14	4	17	4	17	4
<b>TOTAL</b>	<b>386</b>	<b>100</b>	<b>363</b>	<b>100</b>	<b>401</b>	<b>100</b>	<b>398</b>	<b>100</b>	<b>403</b>	<b>100</b>	<b>420</b>	<b>100</b>

Mode of Exposure												
MSM	88	28	77	21	70	17.5	65	16	70	17	79	19
IDU	56	18	52	14	53	13	36	9	27	7	36	9
MSM & IDU	7	2	4	1	5	1	4	1	2	<1	4	1
Heterosexual	161	51	168	46	206	51	199	50	157	39	142	34
Blood Transfusion / Products	0	0	1	<1	0	0	1	1	0	0	0	0
Pediatrics	0	0	0	0	0	0	0	0	0	0	0	0
Unknown/ Other	74*	1	61	17	64	16	93	23	147	36	159	38
<b>TOTAL</b>	<b>386</b>	<b>100</b>	<b>363</b>	<b>100</b>	<b>401</b>	<b>100</b>	<b>398</b>	<b>100</b>	<b>403</b>	<b>100</b>	<b>420</b>	<b>100</b>

\* Includes 72 "No Identified Risk" that are not included in analysis

## What is the Trend in AIDS Deaths in Suburban Maryland?

(as of Sept. 30, 2007)

Characteristics	YEAR OF DEATH											
	2001		2002		2003		2004		2005		2006	
	#	%	#	%	#	%	#	%	#	%	#	%
<b>GENDER</b>												
Male	60	68	69	63	62	63	269	76	84	74	36	73
Female	28	32	40	37	37	37	87	24	30	26	13	27
<b>Total</b>	<b>88</b>	<b>100</b>	<b>109</b>	<b>100</b>	<b>99</b>	<b>100</b>	<b>356*</b>	<b>100</b>	<b>114</b>	<b>100</b>	<b>49</b>	<b>100</b>
<b>RACE/ETHNICITY</b>												
White	11	13	21	19	16	16	72	20	17	15	8	16
African-American	76	86	85	78	76	77	273	77	93	82	40	82
Latino	0	0	1	<1	7	7	9	3	3	3	0	0
Other/Unknown	1	1	2	2	0	0	2	<1	1	<1	1	2
<b>Total</b>	<b>88</b>	<b>100</b>	<b>109</b>	<b>100</b>	<b>99</b>	<b>100</b>	<b>356*</b>	<b>100</b>	<b>114</b>	<b>100</b>	<b>49</b>	<b>100</b>
<b>AGE GROUP</b>												
0-12	0	0	0	0	1	1	1	<1	0	0	0	0
13-19	0	0	4	4	1	1	2	<1	1	<1	1	2
20-29	3	3	15	14	15	15	12	4	2	2	2	4
30-39	24	27	40	37	30	30	112	31.5	15	13	18	37
40-49	41	47	33	30	36	36	137	38.5	67	59	14	29
50-59	12	14	11	10	13	13	66	18.5	17	15	10	20
60+	8	9	6	5	3	3	25	7	12	11	4	8
<b>TOTAL</b>	<b>88</b>	<b>100</b>	<b>109</b>	<b>100</b>	<b>99</b>	<b>100</b>	<b>356*</b>	<b>100</b>	<b>114</b>	<b>100</b>	<b>49</b>	<b>100</b>

Mode of Exposure												
MSM	21	29	32	29	17	17	116	33	32	28	13	27
IDU	18	25	25	23	21	21	78	22	20	18	8	16
MSM & IDU	6	8	3	3	5	5	18	5	2	1	2	4
Heterosexual	26	36	31	28	36	36	87	24	36	32	15	31
Blood Transfusion / Products	0	0	3	3	0	0	5	1	0	0	0	0
Pediatrics	0	0	0	0	0	0	0	0	0	0	0	0
Unknown/Other	17	0	15	14	16	20	52	15	24	21	11	22
<b>TOTAL</b>	<b>88</b>	<b>100</b>	<b>109</b>	<b>100</b>	<b>99</b>	<b>100</b>	<b>356*</b>	<b>100</b>	<b>114</b>	<b>100</b>	<b>49</b>	<b>100</b>

\* Increase in AIDS deaths due to a 2005 match of the Maryland AIDS Registry with the National Death Index that required updates of Maryland data.

## What is the Trend in HIV Cases in Suburban Maryland?

(as of Sept. 30, 2007)

Characteristics	YEAR OF REPORT											
	2001		2002		2003		2004		2005		2006	
	#	%	#	%	#	%	#	%	#	%	#	%
<b>GENDER</b>												
Male	237	52	334	59	330	64	343	56	356	75	366	
Female	219	48	232	41	188	36	268	44	255	25	244	
Missing*	9		3		5		1		1		4	
<b>Total</b>	<b>457</b>	<b>100</b>	<b>569</b>	<b>100</b>	<b>523</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>614</b>	<b>100</b>
<b>RACE/ETHNICITY</b>												
White	39	12	48	8	30	9	38	10	23	6	26	6
African-American	217	68	272	48	237	74	260	71	271	72	290	69
Latino	17	5	20	4	20	6	19	5	14	4	23	5
Other/Missing*	48	15	229	40	236	11	48/247	13	71/233	18	83/192	20
<b>Total</b>	<b>457**</b>	<b>100</b>	<b>569</b>	<b>100</b>	<b>523</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>614</b>	<b>100</b>
<b>AGE GROUP</b>												
0-12	1	0.2	5	<1	5	1	1	<1	2	<1	3	1
13-19	13	3	16	3	21	4	23	4	23	4	19	3
20-29	109	24	121	21	110	21	141	23	161	26	166	27
30-39	182	40	220	39	205	39	227	37	217	35	195	32
40-49	113	25	148	26	116	22	153	25	138	23	155	25
50-59	29	6	45	8	51	10	55	9	53	9	50	8
60+	10	2	14	2	15	3	12	2	18	3	26	4
<b>TOTAL</b>	<b>440</b>	<b>100</b>	<b>457</b>	<b>100</b>	<b>569</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>614</b>	<b>100</b>
<b>MODE OF EXPOSURE</b>												
MSM	31	18	50	9	48	20	35	17	62	31	51	27
IDU	21	12	33	6	24	10	15	7	9	4	8	4
MSM & IDU	2	1	4	<1	5	2	3	2	1	<1	1	<1
Heterosexual	107	61	112	20	138	58	131	64	92	46	83	44
Pediatric	0	0	6	1	0	0	0	0	0	0	0	0
Unknown/Other	282	0	364	64	24	10	21	10	38	19	45	24
Missing*	0	0	0	0	284		407		410		426	
<b>TOTAL</b>	<b>440</b>	<b>100</b>	<b>457</b>	<b>100***</b>	<b>569</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>612</b>	<b>100</b>	<b>614</b>	<b>100</b>

\* Cases with missing race, gender and mode are excluded from percent distributions.

\*\* Includes 136 cases where race/ethnicity was not reported.

\*\*\* Includes 8% of cases under "Other."

## How Many Individuals Have EVER Been Diagnosed with HIV in Suburban Maryland?

(as of Sept. 30, 2007)

	#	%
<b>GENDER</b>		
Male	4,825	60
Female	3,216	40
Missing*	31	
<b>Total</b>	<b>8,072</b>	<b>100</b>
<b>RACE/ETHNICITY</b>		
White	730	12
African-American	4,485	74
Latino	295	5
Other/Missing*	513/2,049	9
<b>Total</b>	<b>8,072</b>	<b>100</b>
<b>AGE GROUP</b>		
0-12	43	1
13-19	228	3
20-29	1,882	23
30-39	3,148	39
40-49	1,947	24
50-59	651	8
60+	173	2
<b>Total</b>	<b>8,072</b>	<b>100</b>
<b>MODE OF EXPOSURE</b>		
MSM	974	23
IDU	702	17
IDU and MSM	134	3
Heterosexual Contact	1,788	42
Other	93	2
No Identified Risk	523	12
Missing*	3,858	
<b>Total</b>	<b>8,072</b>	<b>100</b>

\* Cases with missing race, gender and mode are excluded from percent distributions.

## How Many Individuals Are Living with HIV in the Suburban Maryland Area?

(as of Sept. 30, 2007)

	#	% of Total
<b>GENDER</b>		
Male	2,430	57
Female	1,832	43
Missing*	18	
<b>Total</b>	<b>4,280</b>	<b>100</b>
<b>RACE/ETHNICITY</b>		
White	329	11
African-American	2,330	76
Latino	156	5
Other	265	8
Missing*	1,200	
<b>Total</b>	<b>4,280</b>	<b>100</b>
<b>AGE GROUP</b>		
0-12	36	<1
13-19	35	<1
20-29	571	13
30-39	1,320	31
40-49	1,427	33
50-59	694	16
60+	197	5
<b>Total</b>	<b>4,280</b>	<b>100</b>
<b>MODE OF EXPOSURE</b>		
MSM	167	18
IDU	81	9
IDU and MSM	10	1
Heterosexual Contact	585	62
Other	56	6
No Identified Risk	41	4
Missing*	3,340	
<b>Total</b>	<b>4,280</b>	<b>100</b>

\* Cases with missing race, gender and mode are excluded from percent distributions.

### SOURCES

Maryland Department of Health and Mental Hygiene, Maryland AIDS Administration